



MYJKI CIŚNIENIOWE COMET

## SERIA ZIMNOWODNA KOMERCYJNA



KR



KL












KS



KSM



KA

Model	Code									
		V	rpm	bar	l/h	CV	kW	°C	kg	cm
KR 1100	9054 0001	230	2800	120	360		1,6		11	89x50x80
KL Classic 1300	9046 0066	230	2800	130	360		1,7		12	82x31x31
KL Classic 1400	9046 0003	230	2800	140	410		2,0		12	82x31x31
KL Classic 1600	9046 0065	230	2800	150	480		2,3		12	82x31x31
KS Classic 1600	9041 0001	230	2800	145	510		2,4		17	89x32x38
KS Classic 1700	9041 0002	230	2800	155	540		2,7		17	89x32x38
KS Extra 1700	9041 0502	230	2800	155	540		2,7		19	89x32x38
KSM 1480 Extra Plus	9043 0104	230	2800	150	480		2,3		19	89x32x38
KA Classic 3200	9037 0001	230	2800	150	600	3,0	2,9		36	44x42x94
KA Classic 5000	9037 0005	400	2800	200	720	5,0	4,3		36	44x42x94
KA Excel 5000	9037 0019	400	2800	200	720	5,0	4,3		36	44x42x94

## SERIA ZIMNOWODNA PROFESJONALNA












K 250 Classic



K 250 Extra



K250 Static

Model	Code									
		V	rpm	bar	l/h	CV	kW	°C	kg	cm
K 250 10/150 Classic	9057 0002	230	1400	150	600	3,0	2,9		40	54x44x68
K 250 12/130 Classic	9057 0004	230	1400	130	720	3,0	2,9		40	54x44x68
K 250 11/160 Classic	9057 0006	230	1400	160	660	4,0	3,3		40	54x44x68
K 250 15/170 Classic	9057 0010	400	1400	170	900	5,5	5,0		40	54x44x68
K 250 10/150 Extra	9057 0001	230	1400	150	600	3,0	2,9		50	54x44x99
K 250 12/130 Extra	9057 0003	230	1400	130	720	3,0	2,9		50	54x44x99
K 250 11/160 Extra	9057 0005	230	1400	160	660	4,0	3,3		50	54x44x99
K 250 15/170 Extra	9057 0009	400	1400	170	900	5,5	5,0		50	54x44x99
K 250 10/150 Static	9057 2001	230	1400	150	600	3,0	2,9		45	55x35x35
K 250 15/170 Static	9057 2002	400	1400	170	900	5,5	5,0		50	55x35x35

## SERIA ZIMNOWODNA PROFESJONALNA



K Premium



K 807 S












K 809 Eco



K 1251 TS



K Xtreme

Model	Code									
		V	rpm	bar	l/h	CV	kW	°C	kg	cm
K Premium 8.15	9050 0503	400	1400	210	900	7,5	6,6		55	63x59x96
K Premium 9.15	9050 0505	400	1400	230	900	9,0	7,3		55	63x59x96
K Premium 9.21	9050 0506	400	1400	180	1260	9,0	7,5		55	63x59x96
K 807 S	9024 4014	400	1400	210	900	7,5	6,5		62	90x62x84
K 809 S	9024 4016	400	1400	160	1260	7,5	7,0		66	90x62x84
K 809 ECO	9024 4725	400	1400	160	1260	7,5	7,0	60	67	90x62x84
K 801 ECO	9024 4726	400	1400	210	900	9,0	7,5	85	70	90x62x84
K 901 ECO	9024 4727	400	1400	180	1260	9,0	7,5	85	70	90x62x84
K 1251 TS	9059 0353	400	1400	250	1260	12,0	10,0		161	90x75x95
K 1501 TS	9059 0357	400	1400	350	1080	15,0	12,0		163	90x75x95
K Xtreme 15/500	9059 0001	400	1400	500	900	20,0	15,0		175	100x75x85

## SERIA ZIMNOWODNA SPALINOWA












FDX 12/170



FDX 16/210












FDX Xtreme

Model	Code									
		V	rpm	bar	l/h	CV	kW	°C	kg	cm
FDX 10/150	9020 0093		3400	150	540	5,0			27	55x67x89
FDX 12/170	9020 0303		3400	170	720	5,0			30	55x67x89
FDX 16/210	9020 0308		3400	210	960	11,0			48	55x71x89
FDX 16/250	9020 0309		3400	250	960	13,0			50	55x71x89
FDX Xtreme 15/500	9058 0001		1560	500	900	24,0			150	100x82x85

## SERIA CIEPŁOWODNA SPALINOWA



FDX Hot Cube

Model	Code									
		V	rpm	bar	l/h	CV	kW	°C	kg	cm
FDX Hot Cube 16/200 D	9058 0501		1560	200	960	11,0		140	230	120x80x95
FDX Hot Cube 16/200 B	9058 0502		1560	200	960	11,0		140	200	120x80x95
FDX Hot Cube 21/160 D	9058 0503		1560	160	1260	13,0		140	230	120x80x95
FDX Hot Cube 21/160 B	9058 0504		1560	160	1260	13,0		140	200	120x80x95










## PODGRZEWACZE WODY HOT BOX



Hot Box 200



Hot Box 500

Model	Code									
		V	rpm	bar	l/h	CV	kW	°C	kg	cm
HB 200	9040 0004	230		200	900		0,3	140	90	95x62x85
HB 250	9040 0003	230		250	1500		0,3	140	110	76x77x96
HB 500	9040 0005	230		500	1500		0,3	140	120	76x77x96










## SERIA CIEPŁOWODNA KOMERCYJNA



SCOUT 150



KM Basic

Model	Code									
		V	rpm	bar	l/h	CV	kW	°C	kg	cm
SCOUT Classic 150	9044 0001	230	2800	150	540		2,7	90	85	89x50x82
SCOUT Extra 150	9044 0002	230	2800	150	540		2,7	90	85	89x50x82
KM Basic 5.12	9060 0002	400	2800	180	720	5,0	5,0	110	115	95x62x85

## SERIA CIEPŁOWODNA PROFESJONALNA












**KM**



**KE Premium**



**KF**

Model	Code									
		V	rpm	bar	l/h	CV	kW	°C	kg	cm
<b>KM Classic 5.13</b>	<b>9060 0302</b>	400	1400	180	780	5,5	4,8	110	120	95x62x85
<b>KM Classic 8.15</b>	<b>9060 0305</b>	400	1400	200	900	7,5	7,0	110	125	95x62x85
<b>KM Extra 5.13</b>	<b>9060 0502</b>	400	1400	180	780	5,5	4,8	140	120	95x62x85
<b>KM Extra 8.15</b>	<b>9060 0505</b>	400	1400	200	900	7,5	7,0	140	125	95x62x85
<b>KE Premium Plus</b>	<b>9033 0906</b>	400	1400	200	900	8,0	7,0	110	130	103x71x86
<b>KF Classic 10.21</b>	<b>9051 0952</b>	400	1400	210	1260	10,0	10,3	110	165	132x82x96
<b>KF Extra 10.21</b>	<b>9051 0902</b>	400	1400	210	1260	10,0	10,3	140	165	132x82x96

### Notatki





HYDROFLEX  
Roland Rigoll  
ul. 3 Maja 12, 47-303 Krapkowice  
tel./fax +48 77 407 85 16  
[www.hydroflexgroup.pl](http://www.hydroflexgroup.pl)



Autoryzowany Dystrybutor

[www.cometpolska.pl](http://www.cometpolska.pl)

